

- absolute value
 - of complex number, 541-542
 - of real number, 24-26
- acknowledgments, xx-xxii
- acute angle, 379, 420, 421, 461, 463, 466, 476
- additive inverse
 - of a real number, 11, 18, 20
 - of a vector, 536
- algebraic operations, order of, 7-9
- amplitude, 506-508
- angle
 - acute, 379, 420, 421, 461, 463, 466, 476
 - greater than 2π , 375-376
 - greater than 360° , 362-363
 - in the unit circle, 359-363
 - negative, 361-362, 374
 - obtuse, 379, 461, 463, 466, 470
- annual percentage yield, 268-269, 271
- apparent magnitude, 280-282
- approximation
 - of 2^m , 260, 270
 - of 2^t , 343
 - of area, 321-323
 - of e , 325, 339, 344, 579-580
 - of e^t , 338-339, 588
 - of $\ln(1+t)$, 336-338
 - of $\ln x$, 330, 588
 - of $\log(1+t)$, 343
 - of π , 297
- APY, *see* annual percentage yield
- arccosine, 431-434, 490
 - composition with trigonometric functions, 446-450
 - graph, 433
 - of $-t$, 442, 444
 - plus arcsine, 445
- arcsine, 434-436, 490
 - composition with trigonometric functions, 446-450
 - graph, 436
 - of $-t$, 443-445
 - plus arccosine, 445
- arctangent, 436-439
 - composition with trigonometric functions, 446-450
 - graph, 438
 - of $-t$, 443-445
 - of $\frac{1}{t}$, 445-446
- area
 - inside circle, 308-310
 - inside ellipse, 311-312
 - of circular slice, 376-377, 379
 - of dodecagon, 463, 464
 - of hexagon, 463, 467
 - of loonie, 464
 - of octagon, 461-462
 - of parallelogram, 305, 460-461
 - of polygon, 461-462, 464
 - of rectangle, 305
 - of square, 304
 - of trapezoid, 306-307
 - of triangle, 305-306, 457-459
 - under $y = \frac{1}{x}$, 321-327, 337-342
- Area Stretch Theorem, 307-309, 311, 318, 319, 340, 462
- argument of complex number, 542-545
- arithmetic sequence, 555-556
- arithmetic series, 567-569
- associativity, 7-8, 14, 32, 84, 154, 161, 162, 191, 199, 536
- asymptote, 182-183
- augmented matrix, 210-215
- Axler, Sheldon, v
- back substitution, 209
- bacteria growth, 262, 348
- base
 - e , 326-329, 336-338
 - of logarithm, 240
 - of parallelogram, 305
 - of trapezoid, 306
 - of triangle, 305
 - ten, 241, 250-251
 - two, 238-239
- Bengal, 277
- binary notation (base 2), 254
- black box, 35
- Bradshaw, Carrie, 266
- calculator use, xviii-xix
- carbon-14 dating, 277
- Cartesian plane, 47-49, 54, 56
- Cauchy-Schwarz Inequality, 547
- Celsius temperature scale, 90-91, 121-122
- Celsius, Anders, 94
- chess, invention of, 259
- Christina, Queen of Sweden, 33
- circle
 - area inside, 308-310
 - circumference of, 297

- equation of, 294–295
- unit, *see* unit circle
- circular arc, 363, 376, 379
- circular slice, 376–377, 379
- circumference, 296–297
- class testers, xxi–xxii
- clockwise, 361
- closed interval, 22, 27
- coefficient of polynomial, 159
- column of matrix, 209
- common logarithm, 241
 - number of digits, 250–251
- commutativity, 7, 32, 82, 83, 154, 161, 162, 191, 199, 536, 539
- completing the square, 136–138
- complex conjugate, 192–193, 542
- complex number
 - absolute value, 541–542
 - addition, 191, 199
 - definition, 190
 - division, 192–194, 544–545
 - imaginary part, 190–191
 - multiplication, 191–192, 199, 544–545
 - multiplicative inverse, 199, 543–544
 - polar form, 542–545
 - power, 545–546
 - real part, 190–191
 - root, 546
 - subtraction, 191
- complex plane, 541–545
- composition, 81–85
 - decomposing functions, 83–84
 - not commutative, 83
 - of a function and its inverse, 95–96
 - of a polynomial and a rational function, 185
 - of a trigonometric function and an inverse trigonometric function, 446–450
 - of increasing functions, 111
 - of linear functions, 128
 - of more than two functions, 84–85
 - of one-to-one functions, 99
 - of polynomials, 172
 - of rational functions, 185
- compound interest, 265–269, 271
- continuous compounding, 346–350
 - doubling money, 348–350
- conic section
 - ellipse, 310–312
 - hyperbola, 151, 204
 - parabola, 62, 104, 134–138, 147, 160, 231, 238
- constant function, 86, 122
- continuous growth rate, 347–348
- continuously compounded interest, 346–347
- coordinate axes, 47–50
- coordinate plane, 47–49, 54, 56
- coordinates
 - polar, 522–528
 - rectangular, 47–49
- cos, *see* cosine
- \cos^{-1} , *see* arccosine
- cosecant, 401–403, 406, 407, 427
- cosh, *see* hyperbolic cosine
- cosine
 - $\cos(-\theta)$, 419–420
 - $\cos 15^\circ$, 485–486, 498, 501
 - $\cos 18^\circ$, 491
 - $\cos(2\theta)$, 482–483
 - $\cos(3\theta)$, 502
 - $\cos(5\theta)$, 502
 - $\cos(\frac{\pi}{2} - \theta)$, 420–422
 - $\cos(\theta + 2\pi)$, 424–426
 - $\cos(\theta + \pi)$, 422–424
 - $\cos(\theta + \frac{\pi}{2})$, 501, 505
 - $\cos(\theta + \frac{\pi}{4})$, 501, 505
 - $\cos(\frac{\theta}{2})$, 485–486
 - $\cos(u + v)$, 496–498
 - $\cos(u - v)$, 498
 - $\cos u \cos v$, 502
 - $\cos u \sin v$, 502
 - $\cos x + \cos y$, 502
 - $\cos x - \cos y$, 502
 - definition using unit circle, 383–385
 - domain, 389–390
 - graph, 390–391, 420, 422, 425, 431, 432, 507, 508, 511
 - range, 389–390
 - right triangle
 - characterization, 408–411
 - sign, 386–388
 - special angles, 385–386
- cot, *see* cotangent
- cotangent, 401–403, 406, 407, 427
- counterclockwise, 359
- Cramer’s rule, 215
- csc, *see* cosecant
- cube, 225
- cube root, 225, 226, 228, 233
- cubic formula, 163–164, 193
- Curie, Marie, 276
- De Moivre’s Theorem, 545–546
- De Moivre, Abraham, 545
- decibel, 279–280, 283, 284, 286, 289
- decimal
 - as infinite series, 583–585
 - repeating, 584–585
 - terminating, 584
- decomposing functions, 83–84
- decreasing function, 108–111, 114, 116, 128, 147, 151, 241, 441
- degree
 - angle, 360
 - Celsius, 90–91, 121–122
 - Fahrenheit, 90–91, 121–122
 - of a polynomial, 159–162
- Descartes, René, 33, 48
- determinant, 214
- difference quotient, 14, 17, 41, 45, 170, 173, 184, 185, 187, 342, 345
- digit, 583
- direction of a vector, 533–535
- distance
 - between point and line, 293–294
 - between points, 291–292
- distributive property, 10–11
- division of polynomials, 177–180
- dodecagon, 463, 464

- domain
 - definition, 34
 - from a graph, 51
 - from a table, 39–40
 - importance in function
 - equality, 36
 - not specified, 37–38
 - of 2^x , 231
 - of a composition, 81–82
 - of a polynomial, 159
 - of a rational function, 175
 - of an inverse function, 94–95
 - of \cos , 389–390, 410
 - of \cos^{-1} , 433
 - of e^x , 327
 - of \ln , 328
 - of \log_2 , 239
 - of \log_b , 240
 - of \sin , 389–390, 410
 - of \sin^{-1} , 435
 - of \tan , 399–400
 - of \tan^{-1} , 438
- dot product, 539–540
- double-angle formula
 - for $\cos(2\theta)$, 482–483
 - for $\sin(2\theta)$, 483–484
 - for $\tan(2\theta)$, 484–485
- doubling money, 348–350
- Dumesnil, Pierre, 33
- e
 - approximation of, 338–339
 - as base for natural logarithm, 326–327
 - definition, 325
 - exponential function, 327–329, 352
 - first 40 digits, 325
 - series for, 585
- earthquake, 277–278, 282–286, 289
- elementary row operation, 212–213
- ellipse
 - area inside, 311–312
 - equation of, 310–311
- epsilon, 26, 578
- Euclid, 117
- Euler, Leonard, 190, 586
- even function, 69–70, 72, 73, 80, 86, 112, 128, 134, 142, 154, 234, 331, 427, 451
- exponential decay, 275–277
- exponential function, 327–329, 352
 - approximation of, 338–339
 - graph, 327
 - in continuous compounding, 346–347
 - in continuous growth rate, 347–348
 - series for, 585
- exponential growth, 259–271, 283, 352
 - compound interest, 265–269, 271
 - continuous compounding, 346–347
 - continuous growth rate, 347–348
 - Moore's Law, 261–262
 - population growth, 262–263
- exponentiation
 - by 0, 149–150
 - by negative integer, 150–151
 - by positive integer, 147–149
 - by rational number, 225–229, 234
 - by real number, 230–232
 - not associative, 154
 - not commutative, 154
 - of complex number, 545–546
- Fahrenheit temperature scale, 90–91, 121–122
- Fahrenheit, Daniel Gabriel, 91
- Fermat's Last Theorem, 155
- Fibonacci sequence, 560
- Fibonacci, Leonardo, 560
- finite sequence, 553, 555–557, 567, 581, 590
- function
 - constant, 86, 122
 - decreasing, 108–111, 114, 116, 128, 147, 151, 241, 441
 - defined by table, 38
 - definition, 34
 - equality of, 36
 - even, 69–70, 72, 73, 80, 86, 112, 128, 134, 142, 154, 234, 331, 427, 451
 - increasing, 108–111, 114, 116, 128, 142, 146, 147, 151, 228, 239, 240, 327, 328, 395, 407, 517
 - inverse, 90–97
 - odd, 70–73, 80, 86, 116, 128, 154, 234, 331, 427, 451
 - one-to-one, 91–92
 - periodic, 509
 - piecewise-defined, 34, 35, 41, 45, 98, 102, 103
 - polynomial, 159–170
 - quadratic, 134–140
- function transformation
 - multiple, 68–69
 - of trigonometric functions, 506–513
 - reflecting a graph in the vertical or horizontal axis, 67–68
 - shifting a graph right or left, 63–65
 - shifting a graph up or down, 62–63
 - stretching a graph vertically or horizontally, 65–66
- Fundamental Theorem of Algebra, 197–198
- Galileo, 310
- Gauss, Carl Friedrich, 197, 209
- Gaussian elimination, 208–209, 211–215
- geometric sequence, 556–558
 - limit of, 580
 - sum of, 569–572, 581–583
- geometric series, 569–572, 581–583
- Google, 325
- graph
 - determining domain from, 51
 - determining range from, 53–54
 - horizontal line test, 107–108
 - of $1/x$, 151, 321–327, 336–337, 339–342
 - of $1/x^2$, 151

- of 2^x , 230–231, 238
 - of 2^{-x} , 275
 - of 9^x , 261
 - of \sqrt{x} , 104, 228
 - of $|x|$, 49
 - of a constant function, 122
 - of a function, 49–50
 - of a linear function, 119
 - of cos, 390–391, 420, 422, 425, 431, 432, 507, 508, 511
 - of \cos^{-1} , 433
 - of decreasing function, 108–109
 - of even function, 70
 - of e^x , 327, 329
 - of increasing function, 108–109
 - of inverse function, 104–105
 - of ln, 328, 329
 - of log, 243
 - of \log_2 , 239, 243
 - of odd function, 71
 - of one-to-one function, 106–108
 - of polar equation, 528–530
 - of polynomial, 168–170
 - of quadratic function, 134–138
 - of rational function, 183–184
 - of sin, 391, 420, 422, 425, 434, 507
 - of \sin^{-1} , 436
 - of tan, 400–401, 420, 424, 436
 - of \tan^{-1} , 438
 - of transformed function, 62–69
 - of $x^{1/3}$, 228
 - of x^2 , 104, 231, 238
 - of x^3 , x^4 , x^5 , and x^6 , 148
 - vertical line test, 53
- half-angle formula
- for $\cos \frac{\theta}{2}$, 485–486
 - for $\sin \frac{\theta}{2}$, 486–487
 - for $\tan \frac{\theta}{2}$, 487–488
- half-life, 276–277
- half-open interval, 22
- height
- of parallelogram, 305
 - of rectangle, 305
 - of trapezoid, 306
 - of triangle, 305–306
- hexagon, 463, 466, 467
- Hipparchus, 388
- Holmes, Sherlock, 5
- Hubble telescope, 281–282
- hyperbola, 151, 204
- hyperbolic cosine, 331
- hyperbolic sine, 331, 344
- i , 190, 199
- identity
- inverse trigonometric, 442–450
 - trigonometric, 417–426
- identity function (I), 83–84, 96, 446–447
- imaginary axis, 541
- imaginary part, 190–191, 547
- income tax function, 98, 103, 111
- increasing function, 108–111, 114, 116, 128, 142, 146, 147, 151, 228, 239, 240, 327, 328, 395, 407, 517
- inequalities, 18–20
- infinite sequence, 553–561
- arithmetic sequence, 555–556
 - geometric sequence, 556–558
 - limit of, 577–581
 - recursive sequence, 558–561
 - sum of, *see* infinite series
- infinite series, 581
- geometric series, 581–583
 - special, 585–586
- infinity (∞), 22–23, 160, 165, 167, 180–182, 553, 579
- integer, 2
- Intel, 261–262
- interest
- simple, 264–266
- intersection, 26, 30
- interval, 21–25
- closed, 22, 27
 - half-open, 22
 - open, 22, 27
- inverse function, 90–97
- composition with, 95–96
 - domain of, 94–95
 - from table, 106
 - graph of, 104–105
 - notation, 97
 - of 2^x , 238–239
 - of a linear function, 128
 - of b^x , 239–241
 - of cos, 431–434
 - of cosh, 331
 - of decreasing function, 109–110
 - of e^x , 328–329
 - of increasing function, 109–110
 - of sin, 434–436
 - of sinh, 331
 - of tan, 436–438
 - of x^m , 227–228
 - range of, 94–95
- inverse trigonometric functions
- \cos^{-1} , *see* arccosine
 - \sin^{-1} , *see* arcsine
 - \tan^{-1} , *see* arctangent
- inverse trigonometric identities
- $\cos^{-1} t + \sin^{-1} t$, 445
 - $\tan^{-1} \frac{1}{t}$, 445–446
- compositions of
- trigonometric and inverse trigonometric functions, 446–450
 - with $-t$, 442–445
- iPod, 279–280, 556
- irrational number, 5–6, 32, 42, 197, 230, 231, 234, 244, 262, 297, 323, 325, 403, 490, 584
- irrationality of $\sqrt{2}$, 4–5
 - irrationality of e , 325
 - irrationality of π , 297, 403
- Jefferson, Thomas, 239
- Kepler, Johannes, 312
- Kneller, Godfrey, 552
- Lambert, Johann, 403
- law of cosines, 471–475, 482, 496–497, 530, 540
- law of sines, 468–471, 474–475, 483

- length
 - of a circular arc, 363, 376, 379
 - of a line segment, 296
 - of a path or curve, 296-297
- Libby, Willard, 277
- limit, 577-586
- linear equations
 - any number of variables, 206
 - one variable, 206
 - system of, 206-215
 - Gaussian elimination, 208-209, 211-215
 - matrix representation, 209-215
 - three variables, 206
 - two variables, 205
- linear function, 121-122
- lines
 - equation of, 119-121
 - parallel, 122-124
 - perpendicular, 124-126, 128-129
 - slope, 118-119
- ln, *see* natural logarithm
- logarithm
 - arbitrary base, 239-241
 - base e , 326-329, 336-338
 - base ten, 241, 250-251
 - base two, 238-239
 - change of base, 241-243
 - common, 241
 - number of digits, 250-251
 - natural, 326-329, 336-338
 - of 1, 240
 - of $1/y$, 250
 - of a power, 251-252
 - of a product, 248-249
 - of a quotient, 249-250
 - of the base, 240
- loonie, 462, 464
- loudness, 279-280, 283, 284, 286, 289
- magnitude
 - of a star, 280-282
 - of a vector, 533-535
- Manhattan
 - alleged sale of, 266
 - real estate, 270, 274
- matrix
 - augmented, 210-215
 - column, 209
 - elementary row operation, 212-213
 - representing a system of linear equations, 210-215
 - row, 209
- midpoint, 292-293
- Moore's Law, 261-262
- Moore, Gordon, 261
- multiplicative inverse
 - of a complex number, 199, 543-544
 - of a real number, 12-13
- Napier, John, 241
- natural logarithm
 - algebraic properties, 328
 - approximation of, 336-338
 - area interpretation, 326, 339-342
 - as inverse of exponential function, 328-329
 - definition, 326
 - graph, 327-329
 - inequalities with, 337-338, 573
 - series for $\ln 2$, 585-586
- negative angle, 361-362, 374
- negative horizontal axis, 359
- negative number, 18-19
- negative reciprocal, 126
- negative vertical axis, 359
- Newton's method, 560
- Newton, Isaac, 552
- Nobel Prize, 276, 277
- nonnegative, 39
- North Star, 280-281, 283, 284, 287
- obtuse angle, 379, 461, 463, 466, 470
- octagon
 - area of, 461-462
 - perimeter, 462
- odd function, 70-73, 80, 86, 116, 128, 154, 234, 331, 427, 451
- one-to-one, 92
- horizontal line test, 106-108
- open interval, 22, 27
- origin, 47
- parabola, 62, 104, 134-138, 147, 160, 231, 238
- parallel lines, 122-124
- parallelogram, 305, 460-461
- Parallelogram Equality, 547
- Parthenon, 1
- partial sum, 582
- perimeter, 296-297, 315, 463, 464, 467, 550
- period, 508-511
- periodic function, 509
- perpendicular lines, 124-126, 128-129
- pH scale, 284
- phase shift, 511-513
- photo credits, 591
- pi (π)
 - area inside circle, 308-310, 315
 - area inside ellipse, 312, 315
 - definition, 297
 - first 504 digits, 297
 - irrational, 297, 403
 - series for, 586
- piecewise-defined function, 34, 35, 41, 45, 98, 102, 103
- Pitiscus, Bartholomeo, 408
- polar coordinates
 - converting from rectangular coordinates, 524-528
 - converting to rectangular coordinates, 523-524
 - definition, 522-523
 - graph of polar equation, 528-530
- polar form of complex number, 542-545
- Polaris, 280-281, 284
- polygon
 - area of, 461-462
- polynomial
 - behavior near $\pm\infty$, 165-168
 - complex conjugate of zero, 196
 - definition, 159
 - degree, 159-162

- division of, 177–180
- factorization, 164–165, 198
- Fundamental Theorem of Algebra, 197–198
- graph, 168–170
- root of, 162
- zero of, 162–165, 195–198
- population growth, 262–263
- positive horizontal axis, 359
- positive number, 18–19
- positive vertical axis, 359
- power, *see* exponentiation
- preface
 - to the instructor, xv–xix
 - to the student, xxiii
- prime number, 253, 254, 258, 288, 325
- principal, 264
- Pythagoras, 4
- Pythagorean Theorem, 4, 129, 291–292, 301, 315, 364, 408, 410, 413–415, 449, 450, 452, 453, 471, 472
- quadrant, 386
- quadratic formula, 139–140, 163, 165, 195–196
- quadratic function
 - completing the square, 136–138
 - definition, 134
 - graph of, 134–138
 - maximum or minimum value, 135–138
- radians
 - circular arc length, 376
 - converting from degrees, 373
 - converting to degrees, 373
 - definition, 371
- radioactive decay, 275–277
- range
 - definition, 39
 - from a graph, 53–54
 - from a table, 39–40
 - of 2^x , 231
 - of an inverse function, 94–95
 - of cos, 389–390
 - of \cos^{-1} , 433
 - of cosh, 331
 - of e^x , 327
 - of ln, 328
 - of \log_2 , 239
 - of \log_b , 240
 - of sin, 389–390
 - of \sin^{-1} , 435–436
 - of sinh, 331
 - of tan, 399–400
 - of \tan^{-1} , 438
- Raphael, 117
- rational exponent, 228–229, 234
- rational function
 - behavior near $\pm\infty$, 180–183
 - definition, 175
 - domain, 175
 - graph of, 183–184
- rational number, 2–6
- Rational Zeros Theorem, 171–172
- real axis, 541
- real exponent, 230–232
- real line, 2–5, 32
- real number, 3
- real part, 190–191
- reciprocal, 12
- rectangular coordinates
 - converting from polar coordinates, 523–524
 - converting to polar coordinates, 524–528
 - definition, 47–49
- recursive sequence, 558–562, 565, 566, 590
- regular polygon, 461, 464
- repeating decimal, 584–585
- reviewers, xxi–xxii
- Richter magnitude, 277–278, 282–286, 289
- Richter, Charles, 278
- right triangle
 - 30° - 60° - 90° , 364–365
 - area, 306
 - characterization of trigonometric functions, 408–411
- root
 - of a function, 162
 - of a number, 225–228
 - as inverse function, 227–228
 - notation, 227
- row of matrix, 209
- scalar, 538
- scalar multiplication, 538
- School of Athens*, 117
- sec, *see* secant
- secant, 401–403, 406, 407, 418, 427
- sequence
 - arithmetic, 555–556
 - Fibonacci, 560
 - finite, 553, 555–557, 567, 581, 590
 - geometric, 556–558
 - infinite, 553–561
 - limit of, 577–581
 - recursive, 558–562, 565, 566, 590
- series
 - arithmetic, 567–569
 - definition, 567
 - geometric, 569–570, 583
 - infinite, 581–583
 - special, 585–586
 - summation notation, 571–572
- set, 21
- Sigma (Σ), 571–572
- simple interest, 264, 266
- sin, *see* sine
- \sin^{-1} , *see* arcsine
- sine
 - $\cos u \sin v$, 502
 - definition using unit circle, 383–384
 - domain, 389–390
 - graph, 391, 420, 422, 425, 434, 507
 - range, 389–390
 - right triangle
 - characterization, 408–411
 - sign, 386–388
 - $\sin(-\theta)$, 419–420
 - $\sin 15^\circ$, 402, 406, 489, 495
 - $\sin 18^\circ$, 491
 - $\sin(2\theta)$, 483–484
 - $\sin(3\theta)$, 502

- $\sin(5\theta)$, 502
 - $\sin(\frac{\pi}{2} - \theta)$, 420-422
 - $\sin(\theta + 2\pi)$, 424-426
 - $\sin(\theta + \pi)$, 422-424
 - $\sin(\theta + \frac{\pi}{2})$, 501
 - $\sin(\theta - \frac{\pi}{4})$, 501
 - $\sin(\frac{\theta}{2})$, 486-487
 - $\sin(u + v)$, 498-499
 - $\sin(u - v)$, 499
 - $\sin u \sin v$, 502
 - $\sin x + \sin y$, 502
 - $\sin x - \sin y$, 502
 - special angles, 385-386
- sinh, *see* hyperbolic sine
- slope
 - definition, 118-119
 - equation of a line, 119-122
 - parallel lines, 122-124
 - perpendicular lines, 124-126, 128-129
- sound intensity, 279-280, 283, 284, 286, 289
- square root
 - definition, 226-227
 - graph of, 104, 228
 - of 2 is irrational, 4-6
- St. Louis Gateway Arch, 290, 331
- star brightness, 280-282
- Starry Night*, 224
- stretching, 65-66, 307-308
- substitution, to solve system of equations, 204-205
- summation notation, 571-572
- Sylvester, James, 210
- system of equations
 - solve by substitution, 204-205
 - solve graphically, 203-204
- system of linear equations, *see* linear equations
- table
 - determines domain, 39-40
 - determines range, 39-40
 - for a function, 38
 - for an inverse function, 106
- tan, *see* tangent
- \tan^{-1} , *see* arctangent
- tangent
 - definition using unit circle, 396-397
 - domain, 399-400
 - graph, 400-401, 420, 424, 436
 - range, 399-400
 - right triangle
 - characterization, 408-411
 - sign, 398-399
 - special angles, 397-398
 - $\tan(-\theta)$, 419-420
 - $\tan(2\theta)$, 484-485
 - $\tan(\frac{\pi}{2} - \theta)$, 420-422
 - $\tan(\theta + 2\pi)$, 424-426
 - $\tan(\theta + \pi)$, 422-424
 - $\tan(\theta + \frac{\pi}{2})$, 501, 505
 - $\tan(\theta + \frac{\pi}{4})$, 501, 505
 - $\tan(\theta - \frac{\pi}{2})$, 501
 - $\tan(\theta - \frac{\pi}{4})$, 501
 - $\tan(\frac{\theta}{2})$, 487-488
 - $\tan(u + v)$, 499-500
 - $\tan(u - v)$, 500
- terminating decimal, 584
- Transamerica Pyramid, 357
- transitivity, 19
- trapezoid
 - area of, 306-307
 - bases of, 306
 - height of, 306
- triangle
 - 30° - 60° - 90° , 364-365
 - area of, 305-306, 457-459
- Triangle Inequality, 547
- trigonometric functions
 - cos, *see* cosine
 - cot, *see* cotangent
 - csc, *see* cosecant
 - sec, *see* secant
 - sin, *see* sine
 - tan, *see* tangent
 - transformations, 506-513
- trigonometric identities
 - relationship between cos, sin, and tan, 417-419
 - with $-\theta$, 419-420
 - with $\frac{\pi}{2} - \theta$, 420-422
 - with $\pi - \theta$, 427
 - with $\theta + 2\pi$, 424-425
 - with $\theta + \frac{\pi}{2}$, 427
 - with $\theta + \pi$, 422-424
 - with $\theta + n\pi$, 425-427
- union, 23, 26-28, 30, 32, 184, 185, 223
- unit circle
 - definition, 358-359
 - special points on, 364-365, 377-378
- Van Gogh, Vincent, 224
- vector
 - addition, 535-536
 - additive inverse, 536-537
 - definition, 533
 - direction of, 533-535
 - dot product, 539-540
 - magnitude of, 533-535
 - notation, 534
 - scalar multiplication, 538
 - subtraction, 537
 - zero, 536-537
- vertex of parabola
 - at minimum of maximum value, 138
 - definition, 134-135
 - finding by completing the square, 137-138
- vertical line test, 53
- x -axis, 48
- x -coordinate, 49
- y -axis, 48
- y -coordinate, 49
- Zeno's paradox, 588
- zero
 - of a function, 162
 - of a polynomial, 162-165, 195-198
 - of a quadratic function, 139-140, 163, 195-196