

- absolute value
 - of complex number, 518–519
 - of real number, 25–28
- acknowledgments, xxi–xxii
- acute angle, 303, 339, 377, 383, 385, 396
- Adams, John, 159
- additive inverse
 - of a real number, 9, 20, 22
 - of a vector, 498
- Agnesi, Maria Gaetana, 366
- al-Jayyānī, Ibn Mu'ādh, 388
- algebraic operations, order of, 6–8
- amplitude, 423–424
- angle
 - acute, 303, 339, 377, 383, 385, 396
 - ambiguous, 376–377, 389–390
 - corresponding to a radius, 286, 299
 - greater than 2π , 298–299
 - greater than 360° , 286
 - in the unit circle, 283–286
 - negative, 284–285, 298
 - obtuse, 303, 377, 383, 385, 389
- annual percentage yield, 244, 246
- apparent magnitude, 227–228
- approximation
 - of 2^m , 235, 246
 - of 2^t , 267
 - of area, 250–252
 - of $\cos \theta$, 381
 - of e , 253, 268, 472
 - of e^t , 263–264, 480
 - of $\ln(1+t)$, 262–263
 - of $\ln x$, 257, 480
 - of $\log(1+t)$, 267
 - of π , 527–528
 - of $\sin \theta$, 380
 - of $\frac{\sin \theta}{\theta}$, 381
 - of $\tan \theta$, 380
- APY, *see* annual percentage yield
- arc, *see* circular arc
- arc length, 528
- arccosine, 352–354, 409
 - composition with trigonometric functions, 365–368
 - graph, 354
 - of $-t$, 369
 - plus arcsine, 370–371
- arcsine, 354–356, 409
 - composition with trigonometric functions, 365–368
 - graph, 356
 - of $-t$, 369
 - plus arccosine, 370–371
- arctangent, 357–359
 - composition with trigonometric functions, 365–368
 - graph, 358
 - of $-t$, 370
- area
 - inside circle, 531–533
 - inside ellipse, 533
 - of circular slice, 301
 - of dodecagon, 383, 384
 - of hendecagon, 378
 - of heptagon, 384
 - of hexagon, 383, 386
 - of loonie, 378
 - of octagon, 378
 - of parallelogram, 377, 529
 - of Pentagon, 379
 - of polygon, 378–379, 384
 - of rectangle, 529
 - of square, 528
 - of trapezoid, 384, 530
 - of triangle, 375–376, 529–530
 - under $y = \frac{1}{x}$, 250–254, 263, 265–266
- Area Stretch Theorem, 265, 531, 533, 540
- argument of complex number, 519–522
- arithmetic sequence, 442–443
- arithmetic series, 453
- associativity, 6–7, 16, 35, 85–86, 497, 507, 514
- asymptote, 192, 194
- Axler, Sheldon, v
- bacteria growth, 239, 271–272
- base
 - e , 254–256, 262–263
 - of logarithm, 207
 - of parallelogram, 529
 - of trapezoid, 530
 - of triangle, 529
 - ten, 208–209
 - two, 206
- bees, 285
- bell-shaped curve, 272
- Bengal, 216
- binary notation (base 2), 220
- binomial coefficient, 462–465, 482
- Binomial Theorem, 462–466, 482
- black box, 40
- calculator use, xvi–xvii, 13–14
- carbon-14 dating, 216
- Cartesian plane, 50–51, 56, 58
- Cauchy-Schwarz Inequality, 504
- Celsius temperature scale, 93–94, 124
- Celsius, Anders, 124
- chess, invention of, 235
- Chicago temperature, 429
- Christina, Queen of Sweden, 37
- circle
 - area inside, 531–533
 - circumference of, 527–528
 - equation of, 140–141
 - polar equation, 488–489
 - unit, *see* unit circle
- circular arc, 287, 300, 303
- circular slice, 301
- circumference, 527–528
- clockwise, 284
- closed interval, 24, 30
- coefficient of polynomial, 174
- comet, 144
- common logarithm, 208
 - number of digits, 208–209
- commutativity, 6, 35, 497, 501, 507, 514
- completing the square, 135
- complex conjugate, 508–509, 519
- complex number
 - absolute value, 518–519
 - addition, 507, 514
 - definition, 506
 - division, 508–510, 522
 - imaginary part, 506–507
 - multiplication, 507–508, 514, 521–522
 - multiplicative inverse, 514, 521
 - polar form, 519–522
 - power, 522–523
 - real part, 506–507
 - root, 523
 - subtraction, 507

- complex plane, 518–522
 composition, 82–88
 decomposing functions, 85
 not commutative, 85
 of a function and its inverse, 98–99
 of a polynomial and a rational function, 196
 of a trigonometric function and an inverse trigonometric function, 365–368
 of increasing functions, 112
 of linear functions, 129
 of more than two functions, 85–86
 of one-to-one functions, 102
 of polynomials, 184
 of rational functions, 196
 compound interest, 241–244, 246
 continuous compounding, 270–274
 doubling money, 272–274
 conic section
 ellipse, 142–144, 533
 hyperbola, 144–146
 parabola, 63, 106, 139, 157, 175
 Conjugate Roots Theorem, *see*
 Conjugate Zeros Theorem
 Conjugate Zeros Theorem, 512
 constant function, 124
 continuous function, 181
 continuous growth rate, 271–272
 continuously compounded interest,
 270–271
 coordinate axes, 50–51
 coordinate plane, 50–51, 56, 58
 coordinates
 polar, 484–487
 rectangular, 50–51
 Copernicus, Nicolaus, 320
 cos, *see* cosine
 \cos^{-1} , *see* arccosine
 cosecant, 321–323, 326, 344
 cosh, *see* hyperbolic cosine
 cosine
 $\cos \frac{\pi}{17}$, 418
 $\cos(-\theta)$, 338–339
 $\cos 15^\circ$, 405, 416, 419
 $\cos 18^\circ$, 409
 $\cos(2\theta)$, 402–403
 $\cos(3\theta)$, 419
 $\cos(5\theta)$, 419
 $\cos(\frac{\pi}{2} - \theta)$, 339–340
 $\cos(\theta + 2\pi)$, 342–343
 $\cos(\theta + \pi)$, 341
 $\cos(\theta + \frac{\pi}{2})$, 419, 422
 $\cos(\theta + \frac{\pi}{4})$, 419, 422
 $\cos(\frac{\theta}{2})$, 404–405
 $\cos(u + v)$, 414–415
 $\cos(u - v)$, 415–416
 $\cos u \cos v$, 418
 $\cos u \sin v$, 419
 $\cos x + \cos y$, 419
 $\cos x - \cos y$, 419
 definition using unit circle, 307
 domain, 311
 graph, 312, 338, 340, 342, 352, 353,
 423, 424, 427
 range, 311
 right triangle characterization,
 327–329
 sign, 309–310
 special angles, 308
 cot, *see* cotangent
 cotangent, 321–323, 326, 344
 counterclockwise, 283
 csc, *see* cosecant
 cube, 161
 cube root, 161, 162, 167
 cubic formula, 177, 506
 Curie, Marie, 215

 De Moivre's Theorem, 522–523
 de Moivre, Abraham, 522–523
 decibel, 226–227, 229, 230, 233, 279
 decimal
 as infinite series, 476–477
 repeating, 476–477
 terminating, 476
 decomposing functions, 85
 decreasing function, 108–112, 116, 129,
 158, 161, 363
 degree
 Celsius, 93–94, 124
 Fahrenheit, 93–94, 124
 of a polynomial, 174–177
 Descartes, René, 37, 50
 difference
 of functions, 81–82
 of polynomials, 175–176
 difference quotient, 16, 19, 45, 47, 182,
 186, 195, 196, 198, 267, 269
 digit, 476
 Dilbert, 241, 246, 249, 279
 direction of a vector, 494–496
 distance
 between points, 140
 distributive property, 8–9
 division of polynomials, 188–190
 dodecagon, 383, 384, 386
 domain
 definition, 38
 from a graph, 54
 from a table, 44
 importance in function equality, 40
 not specified, 41–42
 of a composition, 82–83
 of a polynomial, 174
 of a rational function, 187
 of an inverse function, 97
 of cos, 311
 of \cos^{-1} , 354
 of e^x , 255
 of \ln , 256
 of \log_b , 207
 of sin, 311
 of \sin^{-1} , 356
 of tan, 320
 of \tan^{-1} , 358
 dot product, 500–502
 double-angle formula
 for $\cos(2\theta)$, 402–403
 for $\sin(2\theta)$, 403
 for $\tan(2\theta)$, 404
 doubling money, 272–274

e
 approximation of, 264
 as base for natural logarithm, 254
 definition, 253
 exponential function, 255–256, 275
 first 40 digits, 253
 series for, 477
 earthquake, 225, 229, 230, 233, 279
 Einstein, Albert, 193, 337
 ellipse
 area inside, 533
 equation of, 142
 focus, 142–144
 epsilon, 29, 471
 Euclid, 343
 Euler, Leonard, 478, 506
 even function, 71, 73, 74, 80, 89, 90, 112,
 129, 148, 210, 257, 338, 371
 exponent
 0, 159–160
 complex number, 522–523
 negative integer, 160–161
 positive integer, 157–159
 rational number, 161–164
 real number, 163, 204
 exponential function, 204–205, 255–256,
 275
 approximation of, 263–264
 graph, 255
 in continuous compounding,
 270–271
 in continuous growth rate, 271–272
 series for, 477
 exponential growth, 235–244, 246, 275
 compound interest, 241–244, 246
 continuous compounding, 270–271
 continuous growth rate, 271–272
 Moore's Law, 237
 population growth, 239–240

 factorial, 446, 462
 Fahrenheit temperature scale, 93–94,
 124
 Fahrenheit, Daniel Gabriel, 94
 Fermat's Last Theorem, 168
 Fibonacci sequence, 445–446
 Fibonacci, Leonardo, 445
 finite sequence, 440, 442–444, 453, 473,
 482
 Flatiron Building, 396

- flipping graph, *see* function transformation
- focus
of ellipse, 142–144
of hyperbola, 145–146
- Frankenstein*, 176
- function
constant, 124
decreasing, 108–112, 116, 129, 158, 161, 363
defined by table, 44
definition, 38
equality of, 40
even, 71, 73, 74, 80, 89, 90, 112, 129, 148, 210, 257, 371
increasing, 108–112, 116, 129, 147, 155, 158, 164, 255, 256, 316, 326, 433
inverse, 93–100
odd, 72–74, 80, 89, 90, 116, 129, 167, 210, 257, 371
one-to-one, 94–95
periodic, 425
piecewise-defined, 39, 45, 47, 101, 105
polynomial, 174
- function transformation
as composition, 86–88
flipping graph across horizontal axis, 65–66
flipping graph across vertical axis, 68
horizontal combinations of, 71
of trigonometric functions, 423–428
shifting graph down, 64
shifting graph left, 66–67
shifting graph right, 66–67
shifting graph up, 63–64
stretching graph horizontally, 67
stretching graph vertically, 64–65
vertical combinations of, 68–71
- Fundamental Theorem of Algebra, 513
- Galileo, 143
- Gauss, Carl Friedrich, 418, 513
- geometric sequence, 443–445
limit of, 472–473
sum of, 455–459, 474–475
- geometric series, 455–459, 474–475
- Gilbert and Sullivan, 138
- golden ratio, 149, 410
- Google, 253
- grad, 290, 303
- graph
determining domain from, 54
determining range from, 54–55
flipping, *see* function transformation
horizontal line test, 107–108
of $1/x$, 161, 254, 262–263, 265–266
of $1/x^2$, 161
of 9^x , 236
of \sqrt{x} , 106
of $(1 + 1/x)^x$, 264
of $|x|$, 52
of a constant function, 124
of a function, 52
of cos, 312, 338, 340, 342, 352, 353, 423, 424, 427
of \cos^{-1} , 354
of decreasing function, 108–109
of even function, 71
of e^x , 255, 256, 263
of function, 52
of increasing function, 108–109
of inverse function, 106
of linear function, 121
of ln, 255, 256, 262
of log, 218
of \log_2 , 206, 218
of odd function, 72–73
of one-to-one function, 107–108
of polar equation, 488–491
of polynomial, 181
of quadratic function, 138–139
of rational function, 194
of sin, 312, 339, 340, 342, 354, 355, 424
of tan, 320–321, 339, 342, 357
of \tan^{-1} , 358
of transformed function, 63–71
of x^2 , 106, 205
of x^3 , x^4 , x^5 , and x^6 , 158
reflecting, *see* function transformation
shifting, *see* function transformation
stretching, *see* function transformation
vertical line test, 56
- half-angle formula
for $\cos \frac{\theta}{2}$, 404–405
for $\sin \frac{\theta}{2}$, 405–406
for $\tan \frac{\theta}{2}$, 406–407
- half-life, 215–216
- half-open interval, 24
- height
of parallelogram, 529
of rectangle, 529
of trapezoid, 530
of triangle, 529–530
- hendecagon, area of, 378
- heptagon, area of, 384
- hexagon, 383, 386
- Hipparchus, 312
- Holmes, Sherlock, 4
- Hubble telescope, 228
- hyperbola, 144–146
focus, 145–146
- hyperbolic cosine, 257–258
- hyperbolic sine, 257–258, 268
- i , 506–513
- identity
inverse trigonometric, 365–368
trigonometric, 336–343
- identity function (I), 84–85, 98, 365
- imaginary axis, 518
- imaginary part, 506–507, 524
- income tax function, 39, 101, 105, 112
- increasing function, 108–112, 116, 129, 147, 155, 158, 164, 255, 256, 316, 326, 433
- inequalities, 21–23
- infinite sequence, 440–447
arithmetic sequence, 442–443
geometric sequence, 443–445
limit of, 470–473
recursively defined, 445–447
sum of, *see* infinite series
- infinite series, 473
geometric series, 474–475
special, 477–479
- infinity (∞), 24–25, 176, 179–181, 191–193, 440, 472
- integer, 2
- integrated circuit, 237
- Intel, 237
- interest
compound, 241–244
continuously compounded, 270–274
simple, 241–242
- intersection, 29, 33
- interval, 24–27
closed, 24, 30
half-open, 24
open, 24, 30
- inverse function, 93–100
composition with, 98–99
domain of, 97
from table, 110–111
graph of, 106–107
notation, 99–100
of 2^x , 206
of a linear function, 102, 129
of b^x , 207–208
of cos, 352–354
of cosh, 258
of decreasing function, 109–110
of e^x , 256
of increasing function, 109–110
of sin, 354–356
of sinh, 258
of tan, 357–358
of x^m , 163–164
range of, 97
- inverse trigonometric functions
 \cos^{-1} , *see* arccosine
 \sin^{-1} , *see* arcsine
 \tan^{-1} , *see* arctangent
- inverse trigonometric identities
 $\cos^{-1} t + \sin^{-1} t$, 370–371

- compositions of trigonometric and inverse trigonometric functions, 365–368
- with $-t$, 369–370
- iPhone, 321
- irrational number, 4–5, 35, 46, 168, 204, 210, 239, 252, 253, 323, 409, 512, 527, 528
- irrationality of $\sqrt{2}$, 3–4
- irrationality of e , 253
- irrationality of π , 323, 527
- isosceles triangle, 3, 332, 335, 356, 360–362, 384, 396

- Kepler, Johannes, 142, 533
- Khayyam, Omar, 119
- Knuth, Donald, xxi, 551
- Kovalevskaya, Sofia, 414

- Lambert, Johann, 323
- Lamport, Leslie, xxi
- law of cosines, 390–394, 402, 414–415, 492, 502
- law of sines, 388–390, 393–394, 403
- length
 - of a circular arc, 287, 300, 303
 - of a path or curve, 528
- Libby, Willard, 216
- limit, 470–479
- linear function, 86, 123–124
- lines
 - equation of, 121–122
 - parallel, 125
 - perpendicular, 126–127, 130
 - slope, 120–121
- logarithm
 - any base, 207–208
 - base e , 254–256, 262–263
 - base ten, 208–209
 - base two, 206
 - change of base, 217–218
 - common, 208
 - number of digits, 208–209
 - natural, 254–256, 262–263
 - of 1, 207
 - of $1/y$, 224
 - of a power, 214–215
 - of a product, 223
 - of a quotient, 224
 - of the base, 207
- London Eye, 287
- loonie, 351, 378
- loudness, 226–227, 229, 230, 233, 279
- Lovelace, Ada, 14

- Madhava, 478
- magnitude
 - of a star, 227–228
 - of a vector, 494–496
- Manhattan
 - alleged sale of, 243
 - real estate, 245, 249
- Moore's Law, 237
- Moore, Gordon, 237
- multiplicative inverse
 - of a complex number, 514, 521
 - of a real number, 10–13
- Napier, John, 208
- natural logarithm
 - algebraic properties, 256
 - approximation of, 262–263
 - area interpretation, 254, 265–266
 - as inverse of exponential function, 256
 - definition, 254
 - graph, 255–256
 - inequalities with, 263, 466
 - series for $\ln 2$, 477–478
- negative angle, 284–285, 298
- negative horizontal axis, 283
- negative number, 20
- negative reciprocal, 126
- negative vertical axis, 283
- Newton's method, 446
- Newton, Isaac, 143, 146, 439, 475
- Nobel Prize, 215, 216
- North Star, 227–228, 230, 234

- obtuse angle, 303, 377, 383, 385, 389
- octagon, area of, 378
- odd function, 72–74, 80, 89, 90, 116, 129, 167, 210, 257, 339, 371
- one-to-one, 95
 - horizontal line test, 107–108
- open interval, 24, 30
- origin, 50
- Oughtred, William, 358

- page number jokes, 4, 8, 16, 22, 32, 64, 128, 141, 256, 272, 314, 512
- Palladio, 551
- parabola, 63, 106, 139, 157, 175
- parallel lines, 125
- parallelogram, 377, 529
- Parallelogram Equality, 503
- Parthenon, 1
- partial sum, 474
- Pascal's triangle, 459–461, 464–466
- Pascal, Blaise, 460
- Pentagon
 - area of, 379
- perimeter, 383, 384, 386, 437, 536
- period, 425–426
- periodic function, 425
- perpendicular lines, 126–127, 130
- perpendicular vectors, 502
- pH scale, 230
- phase shift, 426–428
- Philippides, 100
- photo credits, 543–544
- pi (π)
 - area inside circle, 531–533, 536
 - area inside ellipse, 533, 536
 - definition, 527
 - first 504 digits, 527
 - irrational, 323, 527
 - rational approximation, 527–528
 - series for, 478
- piecewise-defined function, 39, 45, 47, 101, 105
- Pitiscus, Bartholomeo, 336
- polar coordinates
 - converting from rectangular coordinates, 485–487
 - converting to rectangular coordinates, 485
 - definition, 484
 - graph of polar equation, 488–491
- polar equation, 488–491
 - circle, 488–489
 - ray, 489
- polar form of complex number, 519–522
 - division, 522
 - multiplication, 521–522
 - multiplicative inverse, 521
- Polaris, 227–228, 230
- polygon, area of, 378–379
- polynomial
 - behavior near $\pm\infty$, 179–181
 - complex conjugate of a zero, 512
 - definition, 174
 - degree, 174–177
 - division of, 188–190
 - factorization, 179, 513
 - Fundamental Theorem of Algebra, 513
 - graph, 181
 - number of zeros, 179
 - root of, 177
 - zero of, 177–179, 511–513
- population growth, 239–240
- positive horizontal axis, 283
- positive number, 20
- positive vertical axis, 283
- power, *see* exponent
- preface
 - to the instructor, xv–xix
 - to the student, xxiii
- prime number, 219–221, 253, 278
- principal, 241
- product
 - of functions, 81–82
 - of polynomials, 175–177
- Pythagoras, 3
- Pythagorean Theorem, 3, 130, 140, 155, 288, 327–328, 332–334, 368, 374, 390, 391, 537

- quadrant, 309
- quadratic formula, 136–137, 179, 511
- quadratic function
 - definition, 138

- graph of, 138
 maximum or minimum value, 139
- quotient
 of functions, 81–82
 of polynomials, 187–190
- radians
 converting from degrees, 297
 converting to degrees, 297
 definition, 295
 length of circular arc, 300
- radioactive decay, 215–216
- radius corresponding to an angle,
 283–284, 298
- range
 definition, 42
 from a graph, 54–55
 from a table, 44
 of an inverse function, 97
 of \cos , 311
 of \cos^{-1} , 354
 of \cosh , 258
 of e^x , 255
 of \ln , 256
 of \log_b , 207
 of \sin , 311
 of \sin^{-1} , 356
 of \sinh , 258
 of \tan , 320
 of \tan^{-1} , 358
- Raphael, 3, 343
- rational exponent, 164
- rational function
 behavior near $\pm\infty$, 191–194
 definition, 187
 domain, 187
 graph of, 194
- rational number, 2–5, 476
- Rational Roots Theorem, 184
- Rational Zeros Theorem, 184
- ray, polar equation of, 489
- real axis, 518
- real exponent, 163, 204
- real line, 2–3, 35
- real number, 3
- real part, 506–507
- reciprocal, 10
- rectangular coordinates
 converting from polar coordinates,
 485
 converting to polar coordinates,
 485–487
 definition, 50–51
- recursively defined sequence, 445–447,
 449, 452, 482
- reflecting graph, *see* function
 transformation
- regular polygon, 378, 384
- repeating decimal, 476–477
- reviewers, xxii
- Rhind Mathematical Papyrus, 536
- Richter magnitude, 225, 229, 230, 233,
 279
- Richter, Charles, 225
- right triangle
 30° - 60° - 90° , 287–288
 area, 530
 characterization of trigonometric
 functions, 327–329
- root
 of a function, 177
 of a number, 161
 as inverse function, 163
 notation, 162
- Russell, Bertrand, 120
- Ryff, Peter, 393
- scalar, 500
- scalar multiplication, 500
- School of Athens*, 3, 343
- sec, *see* secant
- secant, 321–323, 326, 337, 344
- sequence
 arithmetic, 442–443
 Fibonacci, 445–446
 finite, 440, 442–444, 453, 473, 482
 geometric, 443–445
 infinite, 440–447
 limit of, 470–473
 recursively defined, 445–447, 449,
 452, 482
- series
 arithmetic, 453
 definition, 453
 geometric, 455–457, 475
 infinite, 473–475
 special, 477–479
 summation notation, 457–459
- set, 23–24
- Shelley, Mary, 176
- shifting graph, *see* function
 transformation
- Sigma (Σ), 457–459
- simple interest, 241–242
- \sin , *see* sine
- \sin^{-1} , *see* arcsine
- sine
 approximation of, 380
 $\cos u \sin v$, 419
 definition using unit circle, 307
 domain, 311
 graph, 312, 339, 340, 342, 354, 355,
 424
 range, 311
 right triangle characterization,
 327–329
 sign, 309–310
 $\sin \frac{\pi}{8}$, 406
 $\sin(-\theta)$, 338–339
 $\sin 15^\circ$, 323, 325, 408, 412
 $\sin 18^\circ$, 409
 $\sin(2\theta)$, 403
- $\sin(3\theta)$, 419
- $\sin(5\theta)$, 419
- $\sin(\frac{\pi}{2} - \theta)$, 339–340
- $\sin(\theta + 2\pi)$, 342–343
- $\sin(\theta + \pi)$, 341
- $\sin(\theta + \frac{\pi}{2})$, 419
- $\sin(\theta - \frac{\pi}{4})$, 419
- $\sin(\frac{\theta}{2})$, 405–406
- $\sin(u + v)$, 416
- $\sin(u - v)$, 416–417
- $\sin u \sin v$, 419
- $\sin x + \sin y$, 420
- $\sin x - \sin y$, 420
- special angles, 308
- \sinh , *see* hyperbolic sine
- slope
 definition, 120–121
 equation of a line, 121–124
 parallel lines, 125
 perpendicular lines, 126–127, 130
- sound intensity, 226–227, 229, 230, 233,
 279
- square root
 definition, 162–163
 graph of, 106
 of 2 is irrational, 3–5
- St. Louis Gateway Arch, 258
- star brightness, 227–228
- Starry Night*, 203
- stretching and area, *see* Area Stretch
 Theorem
- stretching graph, *see* function
 transformation
- sum
 of functions, 81–82
 of polynomials, 175–176
- summation notation, 457–459
- table
 determines domain, 44
 determines range, 44
 for a function, 44
 for an inverse function, 110–111
- \tan , *see* tangent
- \tan^{-1} , *see* arctangent
- tangent
 approximation of, 380
 definition using unit circle, 317–319
 domain, 320
 graph, 320–321, 339, 342, 357
 range, 320
 right triangle characterization,
 327–329
 sign, 318
 special angles, 318
 $\tan \frac{\pi}{8}$, 343
 $\tan(-\theta)$, 338–339
 $\tan(2\theta)$, 404
 $\tan(\frac{\pi}{2} - \theta)$, 339–340
 $\tan(\theta + 2\pi)$, 342–343
 $\tan(\theta + \pi)$, 341–342

- $\tan(\theta + \frac{\pi}{2})$, 419, 422
- $\tan(\theta + \frac{\pi}{4})$, 419, 422
- $\tan(\theta - \frac{\pi}{2})$, 419
- $\tan(\theta - \frac{\pi}{4})$, 419
- $\tan(\frac{\theta}{2})$, 406–407
- $\tan(u + v)$, 417
- $\tan(u - v)$, 417
- Tartaglia, Niccolò, 178
- terminating decimal, 476
- Transamerica Pyramid, 281
- transit level, 330
- transitivity, 21
- trapezoid
 - area of, 384, 530
 - bases of, 530
 - height of, 530
- triangle
 - 30° - 60° - 90° , 287–288
 - area of, 375–376, 529–530
- Triangle Inequality, 504
- trigonometric approximations, 380–382
- trigonometric functions
 - cos, *see* cosine
 - cot, *see* cotangent
 - csc, *see* cosecant
 - sec, *see* secant
 - sin, *see* sine
 - tan, *see* tangent
 - transformations, 423–428
- trigonometric identities
 - relationship between cos, sin, and tan, 336–337
 - with $-\theta$, 338–339
 - with $\frac{\pi}{2} - \theta$, 339–340
 - with $\pi - \theta$, 344
 - with $\theta + 2\pi$, 342
 - with $\theta + \frac{\pi}{2}$, 344
 - with $\theta + \pi$, 341–342
 - with $\theta + n\pi$, 343–344
- Turing, Alan, 404
- union, 25, 29–31, 33, 35, 115, 195, 196, 202
- unit circle
 - definition, 282
 - special points on, 287–288, 301–302
- Van Gogh, Vincent, 203
- vector
 - addition, 496–497
 - additive inverse, 498
 - definition, 494
 - direction of, 494–496
 - dot product, 500–502
 - magnitude of, 494–496
 - notation, 495
 - scalar multiplication, 500
 - subtraction, 498–499
 - zero, 497–498
- vertex of parabola
 - definition, 138
 - finding by completing the square, 138
- vertical line test, 56
- WebAssign*, xvi
- Weierstrass, Karl, 28
- WileyPLUS*, xvi
- WolframAlpha*, 14
 - distance, 149
 - expand, 14
 - graph, 52, 175
 - polar plot, 490
 - simplify, 15, 189
 - solve, 177
 - sum, 459, 467
- x -axis, 51
- x -coordinate, 51
- y -axis, 51
- y -coordinate, 51
- Zeno's paradox, 480
- zero
 - of a function, 177
 - of a polynomial, 177–179, 511–513
 - of a quadratic function, 136–137, 511
- $\zeta(2)$, 478
- $\zeta(3)$, 479
- $\zeta(4)$, 478
- $\zeta(6)$, 478
- Zu Chongzhi, 527